



## **RL: The Lite slimline solid state relay series**

# **Switches**

# RL series

## Lite slimline solid state relays

The **RL** series builds on the popular RG platform by adopting the slim 17.8 mm footprint. The RL series is a lite version that has been designed specifically for resistive loads. Thanks to this slim footprint, the RL series occupies little panel space which makes it the ideal solution when multiple solid state relays need to fit in a constrained space.

Two versions are available in the series. The **RLC** has an integrated heatsink and the maximum rating is 30 AAC. The product width ranges from 17.8 mm to 22.5 mm for the 30 AAC rating. The RLC output consists of a TRIAC.

The 17.8 mm wide **RLS** has a maximum rating of 50 AAC and is intended for chassis mounting or for mounting on an external heatsink. The RLS output consists of a TRIAC whilst the output of the RLS..H consists of back to back thyristors.



## 1-pole solid state relays for resistive loads

### Main features

- 1-pole, zero cross switching AC solid state relays
- Ideal for resistive loads
- **RLS** (without heatsink) output ratings up to:  
530 VAC, 25 AAC, 50 AAC  
660 VAC, 50 AAC (RLS..H)
- **RLC** (with integrated heatsink) output ratings up to:  
530 VAC, 15 AAC, 22 AAC, 30 AAC at  $T_A$  40°C
- Integrated output overvoltage protection
- TRIAC output (back to back thyristors only for RLS..H)
- DC or AC control voltage
- 4 kV isolation Input vs. Output vs. Case
- E-type layout



RLC is cULus listed, RLS is cURus

### Benefits

#### Trouble free operation

- The RL is a fully solid state solution that utilizes wire bonding technology to minimize stresses on power chips and guarantee millions of trouble free switching cycles.

#### Low machine downtime

- Integrated overvoltage protection prevents the SSR output from damages in case of uncontrolled transients.

#### Panel space savings

- Only 17.8 mm product width (except for the RLC rated 30 AAC) vs. the 22.5 mm wide footprint more commonly available on the market or the traditional 45 mm pucks.

#### Fast installation

- The plug-in spring connector for the input control signal quickens installation and replacements. The RLC is a ready to use solution with integrated heatsink for easy mounting on DIN rail.

## Applications

### Plastic injection machines



### Reflow ovens



### Electrical baking ovens



## Millions of trouble free operational cycles with solid state switching

Easy wiring via screws with captivated washer

Green LED indication for control voltage ON

Spring pluggable connector for the input

Long lifetime through wire bonding technology

Direct Copper Bonding for optimal thermal performance

Integrated heatsink (only with the RLC variants)

Removable IP20 cover for connection of ring lugs

TRIAC output (SCR output for RLS..H)

Integrated overvoltage protection\*

\*Transil used on RL..A., varistor used on RL..D..

## Selection guide

Rated voltage	Control voltage	RLC (with integrated heatsink)			RLS (without heatsink)		
		15 AAC (225 A <sup>2</sup> s) 17.8 mm	22 AAC (1250 A <sup>2</sup> s) 17.8 mm	30 AAC (1250 A <sup>2</sup> s) 22.5 mm	25 AAC (225 A <sup>2</sup> s) 17.8 mm	50 AAC (1250 A <sup>2</sup> s) 17.8 mm	50 AAC (1800 A <sup>2</sup> s) 17.8 mm
400 VAC	4-32 VDC	RLC1A40D15	RLC1A40D22	RLC1A40D30	RLS1A40D25	RLS1A40D50	-
480 VAC	4-32 VDC	RLC1A48D15	RLC1A48D22	RLC1A48D30	RLS1A48D25	RLS1A48D50	-
	80-250 VAC	RLC1A48A15	RLC1A48A22	RLC1A48A30	RLS1A48A25	RLS1A48A50	-
600 VAC	4-32 VDC	-	-	-	-	-	RLS1A60D50H

Further details are available on online datasheets at [www.gavazziautomation.com](http://www.gavazziautomation.com)

CARLO GAVAZZI Automation Components. Specifications are subject to change without notice. Illustrations are for example only.

## OUR SALES NETWORK IN EUROPE

### AUSTRIA

Carlo Gavazzi GmbH  
Ketzergasse 374,  
A-1230 Wien  
Tel: +43 1 888 4112  
Fax: +43 1 889 1053  
office@carlogavazzi.at

### BELGIUM

Carlo Gavazzi NV/SA  
Mechelsesteenweg 311,  
B-1800 Vilvoorde  
Tel: +32 2 257 41 20  
sales@carlogavazzi.be

### DENMARK

Carlo Gavazzi Handel A/S  
Over Hadstensevej 40,  
DK-8370 Hadsten  
Tel: +45 89 60 61 00  
Fax: +45 86 98 15 30  
handel@gavazzi.dk

### FINLAND

Carlo Gavazzi OY AB  
Ahventie, 4 B  
FI-02170 Espoo  
Tel: +358 9 756 2000  
myynti@gavazzi.fi

### FRANCE

Carlo Gavazzi Sarl  
Zac de Paris Nord II, 69, rue de la Belle Etoile,  
F-95956 Roissy CDG Cedex  
Tel: +33 1 49 38 98 60  
Fax: +33 1 48 63 27 43  
french.team@carlogavazzi.fr

### GERMANY

Carlo Gavazzi GmbH  
Pfnorstr. 10-14  
D-64293 Darmstadt  
Tel: +49 6151 81 00 0  
Fax: +49 6151 81 00 40  
info@gavazzi.de

### GREAT BRITAIN

Carlo Gavazzi UK Ltd  
4.4 Frimley Business Park,  
Frimley, Camberley, Surrey GU16 7SG  
Tel: +44 1 276 854110  
Fax: +44 1 276 682140  
sales@carlogavazzi.co.uk

### ITALY

Carlo Gavazzi SpA  
Via Milano, 13,  
I-20045 Lainate  
Tel: +39 02 931 76 1  
Fax: +39 02 931 76 301  
info@gavazziacbu.it

### NETHERLANDS

Carlo Gavazzi BV  
Wijkermeerweg 23,  
NL-1948 NT Beverwijk  
Tel: +31 251 22 93 45  
Fax: +31 251 22 60 55  
info@gavazzi.nl

### NORWAY

Carlo Gavazzi AS  
Melkeveien 13,  
N-3919 Parsgrunn  
Tel: +47 35 93 08 00  
Fax: +47 35 93 08 01  
post@gavazzi.no

### PORTUGAL

Carlo Gavazzi Lda  
Rua dos Jerónimos 38-B,  
P-1400-212 Lisboa  
Tel: +351 21 361 70 60  
Fax: +351 21 362 13 73  
carlogavazzi@carlogavazzi.pt

### SPAIN

Carlo Gavazzi SA  
Avda. Iparraguirre, 80-82,  
E-48940 Leioa (Bizkaia)  
Tel: +34 94 480 40 37  
Fax: +34 94 431 60 81  
gavazzi@gavazzi.es

### SWEDEN

Carlo Gavazzi AB  
V:a Kyrkogatan 1,  
S-652 24 Karlstad  
Tel: +46 54 85 11 25  
Fax: +46 54 85 11 77  
info@carlogavazzi.se

### SWITZERLAND

Carlo Gavazzi AG  
Verkauf Schweiz/Vente Suisse  
Sumpfstrasse 3,  
CH-6312 Steinhausen  
Tel: +41 41 747 45 35  
Fax: +41 41 740 45 40  
info@carlogavazzi.ch

## OUR SALES NETWORK IN THE AMERICAS

### USA

Carlo Gavazzi Inc.  
750 Hastings Lane,  
Buffalo Grove, IL 60089-6904, USA  
Tel: +1 847 465 61 00  
Fax: +1 847 465 73 73  
sales@carlogavazzi.com

### CANADA

Carlo Gavazzi Inc.  
2660 Meadowvale Boulevard,  
Mississauga, ON L5N 6M6, Canada  
Tel: +1 905 542 0979  
Fax: +1 905 542 2248  
gavazzi@carlogavazzi.com

### MEXICO

Carlo Gavazzi Mexico S.A. de C.V.  
Circuito Puericultores 22, Ciudad Satelite  
Naucalpan de Juárez, Edo Mex. CP 53100  
Mexico  
T +52 55 5373 7042  
F +52 55 5373 7042  
mexicosales@carlogavazzi.com

### BRAZIL

Carlo Gavazzi Automação Ltda.  
Av. Francisco Matarazzo, 1752  
Conj 2108 05001-200 - São Paulo - SP  
Tel: +55 11 3052 0832  
Fax: +55 11 3057 1753  
info@carlogavazzi.com.br

## OUR SALES NETWORK IN ASIA AND PACIFIC

### SINGAPORE

Carlo Gavazzi Automation Singapore Pte. Ltd.  
61 Tai Seng Avenue #05-06  
Print Media Hub @ Paya Lebar iPark  
Singapore 534167  
Tel: +65 67 466 990  
Fax: +65 67 461 980  
info@carlogavazzi.com.sg

### MALAYSIA

Carlo Gavazzi Automation (M) SDN. BHD.  
D12-06-G, Block D12,  
Pusat Perdagangan Dana 1,  
Jalan PJU 1A/46, 47301 - Petaling Jaya,  
Selangor, Malaysia  
Tel: +60 3 7842 7299  
Fax: +60 3 7842 7399  
info@gavazzi-asia.com

### CHINA

Carlo Gavazzi Automation  
(China) Co. Ltd.  
Unit 2308, 23/F.,  
News Building, Block 1, 1002  
Middle Shennan Zhong Road, Futian District,  
Shenzhen, China  
Tel: +86 755 8369 9500  
Fax: +86 755 8369 9300  
sales@carlogavazzi.cn

### HONG KONG

Carlo Gavazzi Automation  
Hong Kong Ltd.  
Unit No. 16 on 25<sup>th</sup> Floor, One Midtown,  
No. 11 Hoi Shing Road, Tsuen Wan,  
New Territories, Hong Kong  
Tel: +852 26261332 / 26261333  
Fax: +852 26261316

### TAIWAN

Carlo Gavazzi Automation Singapore  
Pte Ltd (Taiwan Branch)  
12F-3, No. 530, Yingcai Rd., West Dist.,  
Taichung City 403518, Taiwan R.O.C.  
Tel: 886 4 2258 4001  
Fax: 886 4 2258 4002

## OUR COMPETENCE CENTRES AND PRODUCTION SITES

### DENMARK

Carlo Gavazzi Industri A/S  
Hadsten

### MALTA

Carlo Gavazzi Ltd  
Zejtun

### ITALY

Carlo Gavazzi Controls SpA  
Belluno

### LITHUANIA

Uab Carlo Gavazzi Industri Kaunas  
Kaunas

### CHINA

Carlo Gavazzi Automation (Kunshan) Co., Ltd.  
Kunshan

## HEADQUARTERS

Carlo Gavazzi Automation SpA  
Via Milano, 13  
I-20045 - Lainate (MI) - ITALY  
Tel: +39 02 931 76 1  
info@gavazziautomation.com

*Energy to Components!*

www.gavazziautomation.com